

## NO. 064 Glandular odontogenic cyst

<ul style="list-style-type: none"> <li>➤ Cyst 必備三個要件           <ul style="list-style-type: none"> <li>■ cavity / lumen</li> <li>■ cystic wall ( 為 Fibrous tissue )</li> <li>■ lining epithelium</li> </ul> </li>   <li>➤ Glandular odontogenic cyst 有 10 大特徵：           <ul style="list-style-type: none"> <li>- Eosinophilic cuboidal cells</li> <li>- Microcysts</li> <li>- Apocrine snouting</li> <li>- Clear (vacuolated) cells</li> <li>- Variable thickness</li> <li>- Tufting (papillary projections)</li> <li>- Mucous cells</li> <li>- Epithelial spheres</li> <li>- Multiple compartments</li> <li>- Cilia</li> </ul> </li> </ul> <p>若有達 7 個或更多特徵，則有極高的機會為 GOC。若只有 5 個以下，則非 GOC 的機會較高。 本片符合 7 個特徵</p>	<p>標記重點：</p> <ol style="list-style-type: none"> <li>1. Cyst 三要素：           <ul style="list-style-type: none"> <li>甲、 Cystic wall ( fibrous tissue )</li> <li>乙、 Lumen / cavity</li> <li>丙、 Lining epithelium</li> </ul> </li>   <li>2. Apocrine snouting (Fig. 1 red ↑)</li> <li>3. Clear (vacuolated) cells (Fig. 1&amp;4 yellow ↑)</li> <li>4. Variable thickness (Fig. 2 yellow ↑)</li> <li>5. Tufting (papillary projections) (Fig. 4 red ↑)</li> <li>6. Mucous cells (Fig. 1&amp;2 green ↑)</li> <li>7. Cilia (Fig. 1&amp;4 blue ↑)</li> <li>8. Microcyst (Fig. 3 yellow ↑)</li> </ol>
---	---

Fig. 1




Fig. 2




Fig. 3




Fig. 4

