

**高雄醫學大學附設中和紀念醫院口腔病理診斷科X光報告單**

患者姓名：林 XX 病歷號碼：1XX1XX7-2 性別：男 年齡：17

送檢醫師：黃逸岳 攝影日期：2006/9/19 報告日期：2006/10/17

臨床診斷：Dentigerous cyst over impacted tooth 23

攝影方式： periapical  panoramic  TMJ view  
 cephalometry  occlusal  sialography  
 others

X光診斷：Dentigerous cyst around impacted tooth 23

**Main X-ray findings :**

**Panoramic film:** There is a well-defined unilocular round shaped circumcoronal radiolucence with a corticated margin over the impacted tooth 23 extending from apex of tooth 21 left to distal aspect of 26 and from apex of tooth 63 up to cementoenamel junction of impacted tooth 23, measuring approximately 3 × 2.5 cm in diameter. Root of impacted 23 is well-developed.

**Occlusal film:** There is a well-defined unilocular round shaped circumcoronal radiolucence with a corticated margin over the impacted tooth 23 extending from palatal aspect of tooth 15 left to apex of 25 and from apex of tooth 63 posterior to cementoenamel junction of impacted tooth 23, measuring approximately 3 × 4 cm in diameter.

Sinus: L` t maxillary sinus is upward displacement

Condyle: unremarkable

**Dental findings :**

- Tooth abnormality: retained 63
- Caries:
- Periodontal condition:
- Calculus:
- Missing tooth:
- Endodontic condition:16
- Restoration (e.g. C & B):
- Filling (e.g. amalgam):16,24,26
- Residual root:
- Others: Impaction:18,23,28,38,48  
Displacement:21,22,24,25  
Root resorption:22,24

Clerk : \_\_\_\_\_

Intern : 楊俊泓 \_\_\_\_\_

Resident : \_\_\_\_\_

V.S. : 陳玉昆 \_\_\_\_\_

Index : 155 -612 -171

**Comments:**

1. The radiographic impression should also consider odontogenic keratocyst.
2. Also, retained 63 is suggested to be included in the second radiographic impression.
3. The high position of the impacted 23 should also be stressed.
4. Do you also observed caries tooth 46; rotation of 43, tilting of teeth 22 & 24, dens evaginatus of the lower premolars?